











9-16 ATTENUATORS W/ SMA FEMALE



CHASSIS DEPTH = 17.22 INCHES

NOTE:
ALL REAR PANELS ARE SCREENED FOR SIXTEEN ATTENUATORS TO ALLOW FOR FUTURE EXPANSION. ONLY USED SECTIONS ARE SHOWN FOR CLARITY.





PIN	FUNCTION
1	CHASSIS GROUND
2	RECEIVED DATA
3	TRANSMITTED DATA
4	NO CONNECTION
5	SIGNAL GROUND
6	NO CONNECTION
7	RTS
8	CTS
9	NO CONNECTION





REV	ECN	DATE	BY	APPR	MATERIAL		PROPRIETARY INFORMATION	
-	ISSUED	6-19-15	JZ	TEZ	ALUMINUM ALLOY		ALL SURFACES ARE TO BE FREE OF BURRS, PITS, & SCRATCHES	
A	25876	11-3-15	JZ	TRS	CHEMFILM TCP / FRONT: BLACK		TOLERANCES	
B	25896	11-9-15	JZ	TRS	50PA-XXX		SCALE	3/8
C	26703	6-9-16	JZ	TRS	PROGRAMMABLE ASSEMBLY		.XX±.010 .XXX±.005 .XX±.5	
D	27610	4-20-17	JZ	TEZ			DWG # 092-8343	

jfw JFW INDUSTRIES, INC.
www.jfwindustries.com PH: 317-887-1340

9-12 ATTENUATORS W/ N FEMALE



CHASSIS DEPTH = 17.22 INCHES





PIN	FUNCTION
1	CHASSIS GROUND
2	RECEIVED DATA
3	TRANSMITTED DATA
4	NO CONNECTION
5	SIGNAL GROUND
6	NO CONNECTION
7	RTS
8	CTS
9	NO CONNECTION


REV	ECN	DATE	BY	APPR	JFW INDUSTRIES, INC.	
-	ISSUED	8-6-15	JZ	TEZ	www.jfwindustries.com PH: 317-887-1340	
A	25876	11-3-15	JZ	TRS	MATERIAL: ALUMINUM ALLOY PROPRIETARY INFORMATION	
B	26703	6-9-16	JZ	TRS	FINISH: CHEMFILM TCP / FRONT: BLACK ALL SURFACES ARE TO BE FREE OF BURRS, FITS, & SCRATCHES	
C	27610	9-11-17	JZ	JZ	MODEL: 50PA-XXX-XX SCALE: 1/2 TOLERANCES: .XXX±.010 .XXX±.005 .XX±.5	
					DESCRIPTION: PROGRAMMABLE ASSEMBLIES 9-12 ATTENUATORS W/ N FEMALE DWG # 092-8383	

NOTE:
ALL REAR PANELS ARE SCREENED FOR TWELVE ATTENUATORS TO ALLOW FOR FUTURE EXPANSION. ONLY USED SECTIONS ARE SHOWN FOR CLARITY.


13-16 ATTENUATORS W/ N FEMALE



-14
(i.e. 14 ATTENUATORS)




-16
(i.e. 16 ATTENUATORS)




-13
(i.e. 13 ATTENUATORS)

REAR VIEW

CHASSIS DEPTH = 17.22 INCHES



-15
(i.e. 15 ATTENUATORS)



PIN	FUNCTION
1	CHASSIS GROUND
2	RECEIVED DATA
3	TRANSMITTED DATA
4	NO CONNECTION
5	SIGNAL GROUND
6	NO CONNECTION
7	RTS
8	CTS
9	NO CONNECTION

REV	ECN	DATE	BY	APPR	MATERIAL	DESCRIPTION	SCALE	PROPRIETARY INFORMATION
-	ISSUED	8-6-15	JZ	TEZ	ALUMINUM ALLOY	PROGRAMMABLE ASSEMBLIES	1/2	ALL SURFACES ARE TO BE FREE OF BURRS, FITS, & SCRATCHES
A	25876	11-3-15	JZ	TRS	CHEMFILM TCP / FRONT: BLACK	13-16 ATTENUATORS W/ N FEMALE	1/2	TOLERANCES: .005, .010, .005, .005, .005
B	25898	11-9-15	JZ	TRS				
C	26688	6-1-16	TEZ	TEZ				
D	26703	6-9-16	JZ	TRS				
E	27610	9-11-17	JZ	JZ				

JFW INDUSTRIES, INC.
www.jfwindustries.com PH: 317-887-1340

NOTE:
ALL REAR PANELS ARE SCREENED FOR SIXTEEN ATTENUATORS TO ALLOW FOR FUTURE EXPANSION. ONLY USED SECTIONS ARE SHOWN FOR CLARITY.